

zilenzi0



Product sheet



Offizz




Offizz

Floor screen





Floor screen Offizz is designed to dampen the noise level and screen of the office landscape. Offizz reduces a lot of noise and is best described as a real sound barrier. Offizz is available in several formats and looks to fit many different types of environments.


OFFIZZ Floor screen



1100 fully clad
43.3"




1500 fully clad
59.1"




1900 fully clad
74.8"



1100 half-clad
43.3"



1500 half-clad
59.1"





1900 half-clad
74.8"

DIVIDE AND CREATE CALM


Offizz are our practical sound absorbing floor standing wall systems. With these you can easily divide a big space into noise adjusted work spaces. Our rounded corner modules can also add a smoother feel to the divisions.




D: screen 70 base 300	90°: 620 x 240 45°: 890 x 380
D: screen 2.8" base 11.8"	90°: 24.4" x 9.4" 45°: 35" x 15"




1500 panel with glass mounted with/without frame
59.1"




1900 panel with glass mounted with/without frame
74.8"




1500 half-clad with glass mounted with/without frame
59.1"



1900 half-clad with glass mounted with/without frame
74.8"




1500 fully clad with glass mounted with/without frame
59.1"



1900 fully clad with glass mounted with/without frame
74.8"

MATERIAL



-1 Beech -2 Birch -3 Oak -4 White NCS 0500 -5 Grey NCS 5500

STANDARD COLOURS FOR FITTINGS



Grey RAL 9006 White RAL 9016 Black RAL 9005



Foot
Grey 91-201
White 91-202
Black 91-203

Foot reinforced
Grey 91-206
White 91-207
Black 91-205

Top fitting straight
Grey 91-247
White 91-131
Black 91-134



Coupling Y-120°
Grey 91-223

Coupling 45°
Grey 91-255

Coupling 90°
Grey 91-256
White 91-382
Black 91-386



4-way coupling
Grey 91-254
White 91-381
Black 91-385

3-way coupling
Grey 91-251
White 91-380
Black 91-384

Name plate
Grey 91-249
White 91-250



Top fitting straight high+low
Grey 91-222

Clothes hook
Grey 91-248

Stand foot
Grey 91-245

DESIGN

Stone wool filling and external cover of textile or laminate.
An MDF dividing strip is always located at a height of 700 mm from the floor. It is possible to select filling for top and bottom. Can be supplied with toughened glass in the top section, with or without frame

ENVIRONMENT AND QUALITY

Approved according to Möbelfakta

SOUND TESTS

SS-EN ISO 354, ISO 11654 Class A
SS-EN ISO 354:2003 evaluated according to SS 25269

SPECIFICATION TEXT

Offizz floor screen from Zilenzio 1000x1900 with glass top without frame. Smooth panel below, centre section of the absorption panel made of stone wool covered with Cara fabric.

STANDARD FABRICS

We offer a variety of standard fabrics, each with unique characteristics to suit your needs. For a complete overview of the standard fabric options available for this product, please visit Zilenzio.com.



CARE INSTRUCTIONS

In order to preserve the color and appearance of the fabric, the fabric should be regularly vacuumed with a soft nozzle.

Stain Removal for Polyester:
- Moisten the stain sparingly with a white clean cotton cloth, lukewarm water and possibly some pH neutral detergent.

Stain Removal for Wool:
- Dab or wipe gently with a damp cloth.

zilenzio

Head Office
Boställsvägen 6
702 27 Örebro Sweden

Phone: +46 19 672 17 00
Email: support@zilenzio.com

www.zilenzio.com
LinkedIn: Zilenzio
Instagram: @zilenzio
Facebook: Zilenzio
© 2024 Zilenzio