

Monteringsanvisning - Offizz golvsärm



910-1 Fot, pussel funktionen.



910-2 Överdel rak



910-1 Fot



910-11 Förstärkt



912 T-fot inkl. överdel och täcklist



912Y Y-fot 120° inkl. överdel



913 4-vägsfot inkl. överdel



911-45 Vinkelfot fast 45° inkl. överdel och täcklist i samma träslag och höjd som skärmarna



911-90 Vinkelfot fast 90° inkl. överdel och täcklist i samma träslag och höjd som skärmarna

ZilenziO


Selling silence

Installation instruction - Offizz floor screen

Standalone or screen in the finish

Place the screen wall on the supplied two feet. Turn foot so that puzzles function is under the screen.

On the top side of the screen as plastic skill boxes placed in the holes not used. Even the screws on the edges are covered with plastic skill boxes.




Straight connection of screens

On the upper side used the "straight lintel" to connect the screens.


Under the screens used puzzles feature two screens connected together. Which ended in the end, a foot with puzzles feature turned inwards.

Cover plugs are used to hide the screws edges and holes on the top side if they are not used.



Interconnection of screens of different heights or wall

Use the lintel, install it in the hole on the top of the screen. Then screw the fitting in the higher screen or wall. When mounting the higher the screen, so you should pre-drill the holes.



Strengthened foot used in the same way as the smaller foot. The only difference is that the enclosed wooden spacers to be screwed between the screen and foot.



Zilenzio

Selling silence

Installation instruction - Offizz floor screen

90° Angel foot, art 911-90

Install screens at a 90 ° angle foot. Place the cornice of the foot and the lintels on the top of the wall and bar.



45° Angel foot, art 911-45

Install screens at 45 ° angle of the foot. Place the cornice of the foot and the lintels on the top of the wall and bar.




T-foot, art 912

Install screens on T-foot. Place the cornice of the foot and the lintel on the top of the wall and bar.



Y-foot, art 912Y

Install screens on the Y-foot and lintels on the top of the wall.



4-way foot, art 913

Install screens at the 4-way foot and lintels on the top of the wall.

